







TX3 Touch Screen Voice Access System

[TX3] Touch
Simple.
Connected.
Scalable.



www.mircom.com/tx3





[TX3] Touch
Simple.
Connected.
Scalable.

INTRODUCING

North America's Largest Integrated Touch Screen

Mircom's [TX3] 22" TOUCH

Mircom's 22" Touch Telephone Access System is designed to provide a visually stunning and intuitive user-experience.

- Now works with VoIP to provide reliable two-way voice communication and data transfer using an internet connection
- Fully customizable solution for occupant & visitor access control in condominiums, apartment buildings, office buildings, gated communities and industrial buildings
- 22" full color touch display provides ultra-wide viewing angles, sure to impress visitors & occupants alike
- Runs a reliable and proven Windows-based operating system to offer the most feature rich system on the market
- Variety of programming options available via built-in USB or Ethernet ports, to meet your specific site requirements

STANDARD FEATURES

- TCP/IP capability to remotely program and maintain the system
- Built-in HD web camera for video communication to the suite
- Optional system diagnostic software for remote monitoring
- Multi-language support; English and French are provided and a language editor allows all text to be translated into other languages
- Integrated advertising module offsets capital costs and generates recurring revenue for the property
- Configurable themes, screens and layouts allow customization to any decor
- Built in Wiegand proximity reader, 125 KHz
- Optional high definition AXIS IP camera
- Provision for postal lock
- Provision for two or single door controller [TX3-CX-2 or TX3-CX-1]
- Integrates with TX3 InSuite
- VoIP and POTS compatible



TX3-TOUCH-F22
(Flush Mount)



TX3-TOUCH-S22
(Surface Mount)

2000 NAMES

STANDARD FEATURES APPLY

Mircom's TX3-Touch Series Telephone Access Systems are designed with user experience in mind. Images and videos are easily imported remotely via a USB interface and all panels support Auto Dialer Control (ADC) and No Subscriber Line (NLS) systems. The end result is a beautiful, customizable solution, that is a breeze to program and use.



Model: TX3-TOUCH-S22
with optional free standing
TX3-T-KIOSK stand

1. Provision for camera
2. Whisper quiet fanless operation
3. Voice and video based help menu for ease of use
4. Fully configurable with 4 screen templates
5. Revenue generating advertising module
6. Easy load content via remotely (LAN) or locally (USB)
7. Configurable "Welcome" screen
8. 22" industrial grade touch screen display
9. Easy maintenance through the front panel
10. Up to 150 Watts of impressive stereo sound with built-in speakers and digital amplifier
11. Constructed of heavy gauge 11GA, 304 Stainless Steel with a #4 brushed finish



TX3-TOUCH-S15-B (Surface Mount) TX3-TOUCH-F15-B (Flush Mount)

- TCP/IP capability to remotely program and maintain the system
- Designed to replace old style technology voice entry panels
- Heavy gauge stainless steel and is designed for indoor applications
- 15" color anti-glare, industrial grade touch screen display that is viewable in direct sunlight
- HD web camera with provisions for a HD IP camera, postal lock, card access proximity card reader and access controller

2000 NAMES

STANDARD FEATURES APPLY

STANDARD FEATURES

- TCP/IP capability to remotely program and maintain the system
- Fully configurable layouts with 4 standard modes
- Voice prompts and user-configurable system help video functionality
- Up to 150 Watts of impressive stereo sound with standard built-in speakers
- Two built-in keyboard layouts (Alphanumeric or QWERTY)
- Programming via built-in USB or Ethernet ports, available modem and COM-to-RS-485 modules for hardwired setups
- VoIP and POTS compatible

TX3-T-KIOSK2 stand

- Supports both 15" and 22" surface mount touch screen models



Shown: TX3-TOUCH-S22
with optional free standing
TX3-T-KIOSK2 stand



TX3-T-KIOSK2
Square Pillar



TX3-T-KIOSK3
Enclosed Pillar

Specifications & Comparisons


MODEL	TX3-TOUCH-F15-B	TX3-TOUCH-S22	TX3-TOUCH-F22
Mounting	Flush	Surface	Flush
Dimensions	20.75"H x 16.3"W x 3.8"D 53cm x 41cm x 9.6cm (backbox dimensions)	Backbox: 31"H x 17"W x 4.125"D 79 cm x 43 cm x 10.5 cm Front Door: 31.125"H x 18"W 78cm x 46cm	Backbox: 31"H x 17"W x 4"D 78.7 cm x 43 cm x 10.2 cm Front Plate: 32"H x 18"W 81cm x 46cm
Name Capacity	2000*	2000*	2000*
Screen Size	15"	22"	22"
STANDARD FEATURES			
Provision for built-in card access controller	Standalone	Yes	Yes
Local programming	via keypad or USB to a PC	via keypad or USB to a PC	via keypad or USB to a PC

* Larger capacity is available in custom configuration.


**Coming
Soon**



Look for our
TX3-Nano Sell Sheet
item # MIR-TX3-SS_150084



Look for our TX3 Voice Entry &
Access Control Brochure
item # MIR-TX3-BR_140066



Look for our
TX3 22" Touch Sell Sheet
item # MIR-TX3-SS_140043

